

Madison Township, PICKAWAY County

10971 Winchester Rd Ashville oh 43103
Phone 614-774-1998 FaxN/A
Ben Bitler-Madison Township Trustees Zoning
Email : bitler44@aol.com

RIGHT-OF-WAY USE PERMIT APPLICATION (as per *Ohio Revised Code §5571.02, §5571.08, §5571.14, and §5571.16*) Permit/Application No. _____

Owner/ApplicantName: _____ Date: _____

Mailing Address: _____

Contact Person: _____ Phone: _____

Mobile: _____

Fax: _____

Email: _____

Location of work to be performed within the right-of-way (Location Map to be included):

Address: _____

Township Road Number: _____

Township Road Name: _____

Beginning and Ending points: _____

Description of work to be performed within the right-of-way:

- Gas
- Electric
- Phone
- Cable
- Fiber
- Water
- Sewer
- Driveway/culvert
- Mailbox
- Tree/shrub planting
- Fence
- Other (please describe):

(For Utilities) Type of Installation (Check all that apply):

- Overhead Line:
- Crossing Road
- Underground Line (buried/bored):
- Parallel to Road D Crossing Road
- Other (please describe):

Estimated Project Schedule

Start Date (mm/dd/yyyy) _____ Completion Date (mm/dd/yyyy) _____

General Description of Work:

Attach documents if needed:

General Construction Requirements

Each permit application for utilities must be accompanied with a set of construction drawings that contain a location map, plan & profile sheets, a typical section sheet, and a construction time schedule.

Excavations for original driveway culverts shall be the responsibility of the owner/applicant and include piping provided by the applicant/owner. A minimum of 12" polyethylene "NI 2" plastic pipe or other material approved by the Trustees with at least 1 foot (1 ') of cover material is required. The culvert site should be determined before purchase of the culvert to verify a type and size suitable for the location. A final inspection is required for culverts installed by an applicant. Replacement culverts shall be provided by and installed by the Township. The cost of any replacement driveway surface cut or removed shall be borne by the property owner.

Excavations for utility lines shall be marked with permanent markers and the casing shall extend through the ditch areas. Lines shall be installed at a minimum of forty-two inches (42") below the surface, except that lines shall be installed a minimum of thirty-six inches (36") inches below a ditch grade. Where possible, utilities shall be installed within five feet (5') of the outer limit of right-of-way.

Utilities crossing the roadway and installed under the roadway surface shall be installed in casing. Bore pits shall be at least three feet (3') from the outside of the ditch and casing shall extend continuously under ditches and roadway surfaces.

The option to directional bore without casing may be granted provided the utility is designed in accordance with the ODOT Utilities Manual and the following:

Depth to be five feet (5') or greater below ditch lines and drainage structures.

Owner to submit calculations verifying that pipe internal pressure does not exceed thirty percent (30%) of SMYS (Specified Minimum Yield Strength) for the internal operating pressure.

Lines larger than sixteen inches (16") designed in accordance with 49 CFR 192, 193, or 195 as applicable.

Any trenches within four feet (4') of the edge of the pavement shall be thoroughly compacted with granular backfill or controlled density fill (cement) as specified by the Trustees. Berms shall be restored to as good a condition as before construction.

If a road surface is damaged, it is the responsibility of the permit holder at their own expense to restore the road to as good or better condition than before the start of construction. The Trustees reserve the right to have Township crews repair at the permit holder's expense any damage that remains unprepared.

All traffic control work shall be the responsibility of the applicant or their agent and conform to the current edition of the ODOT published Ohio Manual of Uniform Traffic Control Devices (OMUTCD).

Posted bridge load limits will be strictly enforced.

General Provisions of the Permit

Written and verbal notification shall be given to the Madison Township Trustees at least 48 hours prior to commencing work via phone at 614-774-1998 and/or email at bitler44@aol.com .

In connection with the application for the above Permit, the applicant agrees to comply with all the conditions, restrictions and regulations as for Madison Township.

Agreed to by: _____

Applicant/Agent Signature _____

Applicant Printed Name/Title _____

Township Trustees:

_____ date: _____

_____ date: _____

_____ date: _____

Madison Twp Zoning:

_____ date: _____

Permit/ Application No. _____